


WEB APPLICATION DEVELOPMENT LAB (R22A1283)

LABORATORY MANUAL

**B.TECH
(III YEAR – I SEM)
(2024-2025)**



**PREPARED BY
Dr.A.MUMMOORTHY
V.SUDHARANI
P.SWETHA
T.SRINIDHI**

DEPARTMENT OF COMPUTER SCIENCE & INFORMATION TECHNOLOGY

**MALLA REDDY COLLEGE OF ENGINEERING & TECHNOLOGY
(Autonomous Institution – UGC, Govt. of India)**

Recognized under 2(f) and 12 (B) of UGC ACT 1956
Affiliated to JNTUH, Hyderabad, Approved by AICTE - Accredited by NBA & NAAC – 'A' Grade - ISO 9001:2008
Certified)

Maisammaguda, Dhulapally (Post Via. Hakimpet), Secunderabad – 500100, Telangana State, India

DEPARTMENT OF COMPUTER SCIENCE & INFORMATION TECHNOLOGY

Vision

- To acknowledge quality education and instill high patterns of discipline making the students technologically superior and ethically strong which involves the improvement in the quality of life in human race.

Mission

- To achieve and impart holistic technical education using the best of infrastructure, outstanding technical and teaching expertise to establish the students into competent and confident engineers.
- Evolving the center of excellence through creative and innovative teaching learning practices for promoting academic achievement to produce internationally accepted competitive and world class professionals.

PROGRAMME EDUCATIONAL OBJECTIVES (PEOs)

PEO1 – ANALYTICAL SKILLS

1. To facilitate the graduates with the ability to visualize, gather information, articulate, analyze, solve complex problems, and make decisions. These are essential to address the challenges of complex and computation intensive problems increasing their productivity.

PEO2 – TECHNICAL SKILLS

2. To facilitate the graduates with the technical skills that prepare them for immediate employment and pursue certification providing a deeper understanding of the technology in advanced areas of computer science and related fields, thus encouraging to pursue higher education and research based on their interest.

PEO3 – SOFT SKILLS

3. To facilitate the graduates with the soft skills that include fulfilling the mission, setting goals, showing self-confidence by communicating effectively, having a positive attitude, get involved in team-work, being a leader, managing their career and their life.

PEO4 – PROFESSIONAL ETHICS

4. To facilitate the graduates with the knowledge of professional and ethical responsibilities by paying attention to grooming, being conservative with style, following dress codes, safety codes, and adapting themselves to technological advancements.

PROGRAM SPECIFIC OUTCOMES (PSOs)

After the completion of the course, B. Tech Computer Science and Engineering, the graduates will have the following Program Specific Outcomes:

- 1. Fundamentals and critical knowledge of the Computer System:-** Able to Understand the working principles of the computer System and its components , Apply the knowledge to build, asses, and analyze the software and hardware aspects of it .
- 2. The comprehensive and Applicative knowledge of Software Development:** Comprehensive skills of Programming Languages, Software process models, methodologies, and able to plan, develop, test, analyze, and manage the software and hardware intensive systems in heterogeneous platforms individually or working in teams.
- 3. Applications of Computing Domain & Research:** Able to use the professional, managerial, interdisciplinary skill set, and domain specific tools in development processes, identify the research gaps, and provide innovative solutions to them.

PROGRAM OUTCOMES (POs)

Engineering Graduates will be able to:

1. **Engineering knowledge:** Apply the knowledge of mathematics, science, engineering fundamentals, and an engineering specialization to the solution of complex engineering problems.
2. **Problem analysis:** Identify, formulate, review research literature, and analyze complex engineering problems reaching substantiated conclusions using first principles of mathematics, natural sciences, and engineering sciences.
3. **Design / development of solutions:** Design solutions for complex engineering problems and design system components or processes that meet the specified needs with appropriate consideration for the public health and safety, and the cultural, societal, and environmental considerations.
4. **Conduct investigations of complex problems:** Use research-based knowledge and research methods including design of experiments, analysis and interpretation of data, and synthesis of the information to provide valid conclusions.
5. **Modern tool usage:** Create, select, and apply appropriate techniques, resources, and modern engineering and IT tools including prediction and modeling to complex engineering activities with an understanding of the limitations.
6. **The engineer and society:** Apply reasoning informed by the contextual knowledge to assess societal, health, safety, legal and cultural issues and the consequent responsibilities relevant to the professional engineering practice.
7. **Environment and sustainability:** Understand the impact of the professional engineering solutions in societal and environmental contexts, and demonstrate the knowledge of, and need for sustainable development.
8. **Ethics:** Apply ethical principles and commit to professional ethics and responsibilities and norms of the engineering practice.
9. **Individual and team work:** Function effectively as an individual, and as a member or leader in diverse teams, and in multidisciplinary settings.
10. **Communication:** Communicate effectively on complex engineering activities with the engineering community and with society at large, such as, being able to comprehend and write effective reports and design documentation, make effective presentations, and give and receive clear instructions.
11. **Project management and finance:** Demonstrate knowledge and understanding of the engineering and management principles and apply these to one's own work, as a member and leader in a team, to manage projects and in multi disciplinary environments.
12. **Life- long learning:** Recognize the need for, and have the preparation and ability to engage in independent and life-long learning in the broadest context of technological change



MALLA REDDY COLLEGE OF ENGINEERING & TECHNOLOGY

Maisammaguda, Dhulapally Post, Via Hakimpet, Secunderabad – 500100

DEPARTMENT OF COMPUTER SCIENCE & INFORMATION TECHNOLOGY

GENERAL LABORATORY INSTRUCTIONS

1. Students are advised to come to the laboratory at least 5 minutes before (to the starting time), those who come after 5 minutes will not be allowed into the lab.
2. Plan your task properly much before to the commencement, come prepared to the lab with the synopsis / program / experiment details.
3. Student should enter into the laboratory with:
 - a. Laboratory observation notes with all the details (Problem statement, Aim, Algorithm, Procedure, Program, Expected Output, etc.,) filled in for the lab session.
 - b. Laboratory Record updated up to the last session experiments and other utensils (if any) needed in the lab.
 - c. Proper Dress code and Identity card.
4. Sign in the laboratory login register, write the TIME-IN, and occupy the computer system allotted to you by the faculty.
5. Execute your task in the laboratory, and record the results / output in the lab observation note book, and get certified by the concerned faculty.
6. All the students should be polite and cooperative with the laboratory staff, must maintain the discipline and decency in the laboratory.
7. Computer labs are established with sophisticated and high end branded systems, which should be utilized properly.
8. Students / Faculty must keep their mobile phones in SWITCHED OFF mode during the lab sessions. Misuse of the equipment, misbehaviors with the staff and systems etc., will attract severe punishment.
9. Students must take the permission of the faculty in case of any urgency to go out ; if anybody found loitering outside the lab / class without permission during working hours will be treated seriously and punished appropriately.
10. Students should LOG OFF/ SHUT DOWN the computer system before he/she leaves the lab after completing the task (experiment) in all aspects. He/she must ensure the system / seat is kept properly.

HEAD OF THE DEPARTMENT

PRINCIPAL

COURSE OBJECTIVES:

- To develop an ability to design and implement static and dynamic website
- Choose best technologies for solving web client/server problems
- Create conforming web pages
- Use JavaScript for dynamic effects
- To prepare PHP scripts
- Use JavaScript & PHP to validate form input entry
- Understand, analyze and create XML documents and XML Schema
- Understand, analyze and build web applications using PHP
- Use appropriate client-side or Server-side applications
- Handling Cookies and Sessions using PHP, SERVLETS and JSP
- Manage normal and abnormal interactions with databases using JDBC.

COURSE OUTCOMES:

Upon successful completion of this course, the students will be able to:

- Design and implement dynamic websites with good aesthetic sense of designing and latest technical know-how's
- Create web pages using HTML and Cascading Styles sheets
- Analyze a web page and identify its elements and attributes
- Create dynamic web pages using JavaScript
- Build web applications using PHP
- Create XML documents and XML Schema
- Understand, analyze and apply the role of languages like HTML, CSS, XML, JavaScript, PHP, SERVLETS, JSP and protocols in the workings of the web and web applications
- Have a Good grounding of Web Application Terminologies, Internet Tools, E – Commerce and other web services
- Develop interactive web applications using HTML forms and servlets.
- Use request and response objects provided to a servlet to read parameters and to produce an HTML response.
- Develop JSP applications implementing Session management and Data base Connectivity.

(R22A1283) WEB APPLICATION DEVELOPMENT LAB

COURSE OBJECTIVES:

The student should be able:

1. To study the insights of HTML, JavaScript and XML usage
 2. To gain understanding regarding the use of Tomcat Server
 3. To get an idea about the working of Servlets and JSP
 4. To gain knowledge about php scripts
-
1. Design the following **static web pages** required for an online bookstore web site.
 1. **HOME PAGE:** The static home page must contain three **frames**.
 2. **LOGIN PAGE**
 3. **CATALOGUE PAGE:** The catalogue page should contain the details of all the books available in the web site in a table.
 4. **REGISTRATION PAGE**
 2. Develop and demonstrate **PHP Script** for the following problems:
 - a) Write a PHP Script to find out the Sum of the Individual Digits.
 - b) Write a PHP Script to check whether the given number is Palindrome or not
 3. Write an **XML** file to display the Book information which includes the following:
 - a) Title of the book b) Author Name c) ISBN number
 - d) Publisher name e) Edition f) Price
 4. Design an **XML** document to store information about a student in an Engineering College affiliated to JNTU
 5. **SERVLETS:**
 1. Write a program to generate a plain text.
 2. Write a program to display cookie id.
 6. **JDBC:**
 1. Write a program to select a query using JDBC.
 2. Write a program to update customer information using JDBC

7. JAVA SERVER PAGES:

1. Write a program to represent basic arithmetic functions.
2. Write a program to display a string.
3. Write a program to create checkboxes.

COURSE OUTCOMES:

1. Using XML Scripting display the college details.
2. Use Tomcat Server for Servlets andJSPs
3. Write simple applications with Technologies like HTML, JavaScript, PHP
4. Servlets andJSPs Connect to Database and get results

INDEX

S.No	List of programs	Pg.No.
1	1. Design the following static web pages required for an online bookstore web site. a. HOME PAGE: The static home page must contain three frames. b. LOGIN PAGE c. CATALOGUE PAGE: The catalogue page should contain the details of all the books available in the web site in a table. d. REGISTRATION PAGE	11
2	Develop and demonstrate PHP Script for the following problems: a. Write a PHP Script to find out the Sum of the Individual Digits. b. Write a PHP Script to check whether the given number is Palindrome or not	21
3	Write an XML file to display the Book information which includes the following: 1) Title of the book 2) Author Name 3) ISBN number 4) Publisher name 5) Edition 6) Price	23
4	Design an XML document to store information about a student in an engineering college affiliated to JNTU	25
5	JDBC: a. Write a program to select a query using JDBC. b. Write a program to update customer information using JDBC.	27
6	SERVLETS: a. Write a program to generate a plain text. b. Write a program to display cookie id.	22
7	JAVA SERVER PAGES: a. Write a program to represent basic arithmetic functions. b. Write a program to display a string. c. Write a program to create check boxes.	29

WEEK 1:

Design the following static web pages required for an online book store web site.

- 1) **HOME PAGE:** The static home page must contain three **frames**.
- 2) **LOGIN PAGE**
- 3) **CATALOGUE PAGE:** The catalogue page should contain the details of all the books available in the web site in a table.
- 4) **REGISTRATION PAGE**

Aim: Design the following static web pages required for online book store.

1. **Home page:-** the static home page must contain three pages
2. **Top frame:-** logo and college name and links to homepage, login page, registration page and catalogue page
3. **Left frame:-** at least four links for navigation which will display the catalogue of Respective links
4. **Right frame:-** the pages to links in the left frame must be loaded here initially it contains the description of the website.

DESCRIPTION: In this program the entire web pages are created by using basic HTML tags. Home page is divided into 3 frames by using <frameset> and <frame> tags. A frame is used to display a web page within a web page.

<frameset>:

- The <frameset> tag defines a frameset.
- The <frameset> element holds one or more <frame> elements.
- Each <frame> element can hold a separate document.
- The <frameset> element specifies HOW MANY columns or rows there will be in the frameset, and HOW MUCH percentage/pixels of space will occupy each of them.

<frame>:

- The <frame> tag defines one particular window (frame) within a <frameset>.
- Each <frame> in a <frameset> can have different attributes, such as border, scrolling, the ability to resize, etc.

PROGRAM:

home.html:

```
<frameset rows="40%,*">
  <frame src="top.html" noresize scrolling="NO" name="topframe">
</frameset>
<frameset cols="15%,*">
  <frame src="left.html" noresize scrolling="NO" name="leftframe">
  <frame src="right.html" noresize name="rightframe" scrolling="auto">
</frameset>
```

top.html:

```

<html>
  <head>
    <title>Top Frame</title>
  </head>
  <body bgcolor="YellowGreen">
    
    
    <center>
      <marquee bgcolor="yellow" width="650" behavior="alternate">
        <font face="Brush Script MT" size="8" color="green"><b><i>Online Book Store</i></b>
        </font>
      </marquee> <br>
      <font face="Brush Script" size="6" color="white"><b>Created & Maintained
        ByMRCET</b></font>
    </center>
    <br>
    <table width="100%" height="50%" cellpadding="10">
    <tr align="center">
      <td> <a href="Home.html" target="_parent"><font face="Brush Script"
        size="6"color="navy">HOME </a> </td>
      <td> <a href="login.html" target="rightframe"><font face="Brush Script"
        size="6"color="navy">LOGIN</a> </td>
      <td> <a href="registration.html" target="rightframe"> <font face="Brush Script" size="6"
color="navy">REGISTER </a> </td>
      <td> <a href="catalogue.html" target="rightframe"> <font face="Brush Script"
size="6"color="navy">CATALOGUE</a> </td>
    </tr>
    </table>
  </body>
</html>

```

left.html:

```

<html>
  <body align="center" bgcolor="bisque"> <br>
    <a href="cse.html" target="rightframe"><font size="6">CSE</font></a><br><br>
    <a href="ece.html" target="rightframe"><font size="6">ECE</font></a><br><br>
    <a href="eee.html" target="rightframe"><font size="6">EEE</font></a><br><br>
    <a href="mech.html" target="rightframe"><font size="6">MECH</font></a><br>
  </body>
</html>

```

right.html:

```

<html>
  <body bgcolor="orange">

```

```

<center>
  <br>
  <font face="Brush Script MT" size="5" color="blue">
    <h1><b>Welcome to the Online Book Store!!!</b></font><br />
    <font face="Brush Script MT" size="5" color="red">

<h2><b> "A Huge Collection Of Engineering E-Books"</b></h2></font>
  </center>
</body>
</html>

cse.html:
<html>
<body bgcolor="Plum">
<h1><font color="blue">COMPUTER SCIENCE ENGINEERING </font></h1>
<h2>
<ul type="square">
<li>Data Structures using Python </li>
<li>Web Technologies</li>
<li>Linux Programming</li>
<li>Artificial Intelligence</li>
</ul>
</h2>
</body>
</html>

ece.html:
<html>
  <body bgcolor="Plum">
    <h1><font color="blue">Electronics and Communication Engineering</font></h1>
<h2>
  <ul>
    <li>Digital Circuits</li> <li>Signals and Systems</li> <li>Digital Communication</li>
  </ul>
</h2>
</body>
</html>

it.html:
<html>
  <head><title></title></head>
  <body bgcolor="cyan">
    <center><fontcolor="blue"><h1>INFORMATION TECHNOLOGY</h1></font></center>
    <br>

```

```

<tablealign="center">
  <tr>
    <td>Text Books</td>
    <td>
      <select>
        <option value="select thebook"selected>Selectthebook
        <optionvalue="C&Ds">C&Ds
        <optionvalue="Ads">Ads
        <optionvalue="Java">Java
        <optionvalue="Oracle">Oracle
        <optionvalue="MsSQLServer">MsSQLServer
        <optionvalue="MySql">MySql
      </select>
    </td></tr>
  <tr>
    <td>Quantity</td>
    <td><inputtype="text" id="q"></td>
  </tr>
  <tr>
    <td></td>
    <td>
      <formmethod=postaction="order.html">
        <inputtype="submit" value=ok/>
      </form>
    </td>
  </tr>
</table>
<center>
  <pre>Cost of one book is "500"+shipping "100"</pre>
</center>
</body>
</html>
mech.html:
<html>
  <body bgcolor="Plum">
    <h1><font color="blue">Electronics and Communication Engineering</font></h1>
    <h2>
      <ol type="I">
        <li>Theory of Machines</li>
        <li>Automation and Robotics</li>
        <li>Engineering Fluid Mechanics</li>
      </ol>
    </h2>
  </body>
  >
</html>

```

catalogue.html:

```

<html>
<head>
  <title> Catalogue </title>
</head>
<body bgcolor="pink">
  <form action="order.html">
    <table border="1" width="100%">
      <tr>
        <td>
          
        </td>
        <td> Book: Web Technologies <br> Author: Uttam K. Roy <br> Publication:Oxford
        University Press</td>
      </tr>
      <tr>
        <td> <input type="submit" value="Add to cart"/></td>
      </tr>
      <tr>
        <td> </td>
        <td> Book: PHP & MySQL Web Development <br> Author:Luke Welling & Laura
        Thompson <br> Publication:PEARSON</td>
      </tr>
      <tr>
        <td> <input type="submit" value="Add to cart"/></td>
      </tr>
    </table>
  </form>
</body> </html>

```

login.html:

```




<html>
<body bg color="pink">
  <basefont face="Cambria" size="4"> <br>
  <center>
    <br />
    <font face="Brush Script MT" size="7" color="purple">
      <b>Enter Login Details:</b>
    </font>
  </center>
  <form name="f1" method="post" action="right.html">
    <table align="center" width="100" height="150" cellspacing="15">
      <tr><td><b>Login ID:</b></td>
        <td><input type="text" name="t1"></td>
      </tr>
      <tr>
        <td><b>Password:</b></td>
        <td><input type="password" name="t2"></td>
      </tr>
      <tr align="center">
        <td><input type="submit" name="b1" value="Submit"></td>
        <td><input type="reset" name="b2" value="Reset"></td>
      </tr>
    </table>
  </form>
</base font>
</body>
</html>


```

[illegible]

```
<html>
<head><title>order conformation</title></head>
<body bgcolor="cyan">
  <center>
    <pre><strong>
      <b>Your order Is Conformed
    </strong></pre>
    <h2><b>THANK YOU...Visit Again</h2>
  </center>
</body>
</html>
```


OUTPUT:









EXERCISE:

1. Create your class time table in a webpage.
2. Design the static web pages required for an online shopping cart.

WEEK - 2: Develop and demonstrate PHP Script for the following problems:

(a). Write a PHP Program to display current Date, Time and Day using PHP Script.


AIM: To display current date , Time and Day using PHP.

PROGRAM:

date.php

```
<?php
    date_default_timezone_set
    ("Asia/Calcutta");echo "Date: ";
    echo date("d/m/y");
    echo "<br> Time: ";
    echo date(" H:i:s A",
    time());echo "<br> Day: ";
    $day=date("l
    ");echo
    $day;
?>
```


OUTPUT:



(b) Check whether the given number is Palindrome or not

```
<?php
$n=323;
$t=$n;
$rev=0;
while($n>
0)
{
$r=$n%10;
$rev=$rev*10+$r;
$n=(int)($n/10);
}
echo "Reverse digits are: $rev <br>";

if($t==$rev)
echo "$rev is a
Palindrome";else
echo "$rev is not a Palindrome";
?>
```

OUTPUT:

WEEK 3: Write an XML file to display the Book information which includes the following:

- 1) Title of the book 2) Author Name 3) ISBN number 4) Publisher name 5) Edition 6) Price

Save as **catalog1.xml**

```
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/css" href="s.css"?>
<catalog>
  <book>
    <title>Head First Java Script</title>
    <author>Author:Kathy Sierra and Bert Bates</author>
    <isbn>ISBN:1148574</isbn>
    <publisher>Publisher:O'Reilly Media</publisher>
    <edition>Edition:Second</edition>
    <price>Price:375</price>
  </book>
  <book>
    <title>Head First Servlets</title>
    <author>Author:Bryan Basham, Kathy Sierra and Bert Bates</author>
    <isbn>ISBN:58746321</isbn>
    <publisher>Publisher:O'Reilly Media</publisher>
    <edition>Edition:Third</edition>
    <price>Price:475</price>
  </book>
  <book>
    <title>Head First PHP & MySQL</title>
    <author>Author:Lynn Beighley Michael Morrison</author>
    <isbn>ISBN:965844712</isbn>
    <publisher>Publisher:O'Reilly Media</publisher>
    <edition>Edition:First</edition>
    <price>Price:365</price>
  </book>
  <book>
    <title>Head First WebDesign</title>
    <author>Author:Ethan Watrall </author>
    <isbn>ISBN:764485142</isbn>
    <publisher>Publisher:O'Reilly Media</publisher>
    <edition>Edition:First</edition>
    <price>Price:390</price>
  </book>
</catalog>
```

s.CSS:

```
*{  
display: block; font-size: 20px;  
}  
title {  
color: blue;  
  
font-size: 30px;  
margin-top: 20px;  
}  
author {  
color:red }
```

Output:

WEEK 4:

Design an XML document to store information about a student in an engineering college affiliated to JNTU.

File1.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/css" href="p.css"?>

<STUDENTDATA>
  <STUDENT>
    <USN>USN : 3GN16CS002</USN>
    <NAME>NAME : ABHISHEK MALI</NAME>
    <COLLEGE>COLLEGE : GNDECB</COLLEGE>
    <BRANCH>BRANCH :IT</BRANCH>
    <YEAR>YEAR : 2023</YEAR>
    <EMAIL>E-MAIL : abhishek@gmail.com</EMAIL>
  </STUDENT>
  <STUDENT>
    <USN>USN : 3GN16CS029</USN>
    <NAME>NAME : KESHAV POLA</NAME>
    <COLLEGE>COLLEGE : GNDECB</COLLEGE>
    <BRANCH>BRANCH :IT</BRANCH>
    <YEAR>YEAR : 2023</YEAR>
    <EMAIL>E-MAIL : keshav@gmail.com</EMAIL>
  </STUDENT>
  <STUDENT>
    <USN>USN : 3GN16CS027</USN>
    <NAME>NAME : KARAN DANGE</NAME>
    <COLLEGE>COLLEGE : GNDECB</COLLEGE>
    <BRANCH>BRANCH :IT</BRANCH>
    <YEAR>YEAR : 2023</YEAR>
    <EMAIL>E-MAIL : karan@gmail.com</EMAIL>
  </STUDENT>
</STUDENTDATA>
```

File name: p.css

```
*{
display: block; font-size: 20px;
}
USN {
color: blue;
font-size:
30px;
margin-top: 20px;
}
```

OUTPUT:

USN : 3GN16CS002
NAME : ABHISHEK
MALICOLLEGE :
GNDECB BRANCH: IT
YEAR: 2023
E-MAIL: abhishek@gmail.com

USN : 3GN16CS029
NAME: KESHAV
POLACOLLEGE:
GNDECB BRANCH:
IT YEAR: 2023
E-MAIL : keshav@gmail.com

USN : 3GN16CS027
NAME : KARAN
DANGECOLLEGE :
GNDECB BRANCH:
IT
YEAR: 2023
E-MAIL: karan@gmail.com

WEEK 5: JDBC:

- A. Write a program to select a query using JDBC.**
- B. Write a program to update customer information using JDBC.**

A. Write a program to select a query using JDBC.**DBExample.java**

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
import java.util.*;
import java.sql.*;

public class DBExample extends HttpServlet{
    public void doGet(HttpServletRequest request,
        HttpServletResponse response)
        throws ServletException, IOException
    {
        String JDBC_DRIVER="com.mysql.jdbc.Driver";
        String DB_URL="jdbc:mysql://localhost/csec";
        String USER = "root";
        String PASS = "TIGER";
        response.setContentType("text/html");
        PrintWriter out = response.getWriter();
        out.println("<html><body><h1>Welcome to MRCET</h1>\n");
        try{
            Class.forName("com.mysql.jdbc.Driver");
            Connection conn = DriverManager.getConnection(DB_URL,
                USER, PASS);
            Statement stmt = conn.createStatement();
            String sql;
            sql = "SELECT * FROM Emp";
            ResultSets = stmt.executeQuery(sql);
```

```
while(rs.next()){  
    out.println("ID: " + rs.getString(1));  
    out.println("Age: " + rs.getString(2));  
    out.println("First Name: " + rs.getString(3)+"<br>");  
}  
rs.close();  
stmt.close();  
conn.close();  
}catch(SQLException se){  
    out.println(se.getMessage());  
}catch(Exception e){  
    out.println(e.getMessage());  
}  
out.println("</body></html>");  
}  
}
```

web.xml:

```
<?xml version="1.0" encoding="UTF-8"?>  
<web-app>  
    <servlet>  
        <servlet-name>DBExample</servlet-name>  
        <servlet-class>DBExample</servlet-class>  
    </servlet>  
    <servlet-mapping>  
        <servlet-name>DBExample</servlet-name>  
        <url-pattern>/db</url-pattern>  
    </servlet-mapping>  
</web-app>
```

OUTPUT:

Welcome to MRCET

ID: 100 Age: 18 First Name: aaa

ID: 101 Age: 24 First Name: bbb

ID: 102 Age: 42 First Name: ccc

WEEK 5:**B. Write a program to update customer information using JDBC.****insert.html:**

```
<!DOCTYPE html>
<html>
  <head>
    <title>Insert Data</title>
  </head>
  <body>
    <!-- Give Servlet reference to the form as an instances
    GET and POST services can be according to the problem statement-->
    <form action="/InsertData" method="post">
      <p>ID:</p>
      <!-- Create an element with mandatory name attribute,
      so that data can be transfer to the servlet using getParameter() -->
      <input type="text" name="id"/>
      <br/>
      <p>String:</p>
      <input type="text" name="string"/>
      <br/><br/><br/>
      <input type="submit"/>
    </form>
  </body>
</html>
```

DatabaseConnection.java:

```
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.SQLException;

// This class can be used to initialize the database connection

public class DatabaseConnection
```

```
{
    protected static Connection initializeDatabase()
        throws SQLException, ClassNotFoundException
    {
        String dbDriver = "com.mysql.jdbc.Driver";
        String dbURL = "jdbc:mysql:// localhost:3306/";
        String dbName = "demoprj";
        String dbUsername = "root";
        String dbPassword = "root";

        Class.forName(dbDriver);
        Connection con =DriverManager.getConnection(dbURL+dbName,dbUsername,dbPassword);
        return con;
    }
}
```


InsertData .java:

```
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.PreparedStatement;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
// Import Database Connection Class file
import code.DatabaseConnection;
@WebServlet("/InsertData")
public class InsertData extends HttpServlet {
    private static final long serialVersionUID = 1L;
    protected void doPost(HttpServletRequest request,HttpServletResponse response) throws
```

ServletException, IOException

```
{
    try {
        String jdbcUrl = "jdbc:mysql://localhost:3306/BORAJI";String username = "root";
        String password = "admin";
        String sql = "update customer set name='Michael Sam' where cus_id=1";


        try (Connection conn = DriverManager.getConnection(jdbcUrl, username, password);
            Statement stmt = conn.createStatement();) {
            stmt.executeUpdate(sql);
            System.out.println("Database updated successfully ");
            PrintWriter out = response.getWriter();
            out.println("<html><body><b>Successfully Inserted"
                + "</b></body></html>");
        }
        catch (Exception e) {
            e.printStackTrace();
        }
    }
}
```



ID:

String:

Submit



WEEK:6: SERVLETS:

- A. Write a program to generate a plain text.
 - B. Write a program to display cookie id.
- Implement the following web applications using Servlets.

A. Write a program to generate a plain text.

Filename:greet.html

```
<html>
  <body bgcolor="yellow">
    <center>
      <h1>USER NAME ENTRY SCREEN</h1>
      <form action="greet">
        USERNAME <input type="text" name="t1">
        <br><br>
        <input type="submit" value="Submit">
      </form>
    </center>
  </body>
</html>
```

File Name:GreetingServlet.java

```
import javax.servlet.*;
import java.io.*;

public class GreetingServlet extends GenericServlet
{
    public void service(ServletRequest req, ServletResponse res) throws
        ServletException,IOException
    {
        String
        name=req.getParameter("t1");
        res.setContentType("text/html");
        PrintWriter pw=res.getWriter();
        pw.println("<html>");
        pw.println("<body
        bgcolor=white>");
        pw.println("<h1>HELLO"+name+"WELCOME TO OUR WEBSITE</h1>");
        pw.println("</bod
        y>");
        pw.println("</ht
        ml>");
        pw.close();}    }
```

web.xml

```
<?xml version="1.0"?>
<web-app>
    <servlet>
        <servlet-name>one</servlet-name>
        <servlet-class>GreetingServlet</servlet-class>
    </servlet>
    <servlet-mapping>
        <servlet-name>one</servlet-name>
        <url-pattern>/greet</url-pattern>
    </servlet-mapping>
</web-app>
```

OUTPUT:

WEEK 6:**B. Write a program to display cookie id.****index.html**

```
<html>
  <body bgcolor="pink">
    <form action="servlet1">
      <center>
        NAME <input type="text" name="username"/><br><br>
        <input type="submit" value="submit"/>
      </center>
    </form>
  </body>
</html>
```

FirstServlet.java

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;

public class FirstServlet extends HttpServlet
{
    public void doPost(HttpServletRequest request, HttpServletResponse
    response){
    try{

    response.setContentType("text/html");
    PrintWriter out = response.getWriter();
    String n=request.getParameter("userName");
    out.print("Welcome"+n);
    Cookie ck=new Cookie("uname",n);
        //creating cookie object
    response.addCookie(ck);
        //adding cookie in the response
        //creating submit button
    out.print("<form action='servlet2'>");
```

```
out.print("<input type='submit' value='go'>");
out.print("</form>");
out.close();
    }
    catch(Exception e)
    {

System.out.println(e);
    }
}
}
```

SecondServlet.java



```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
public class SecondServlet extends HttpServlet {
    public void doPost(HttpServletRequest request, HttpServletResponse response)
    {
        try{
            response.setContentType("text/html");
            PrintWriter out=response.getWriter();
            Cookie ck[]=request.getCookies();
            out.print("Hello"+ck[0].getValue());
            out.close();
        }
        catch(Exception e)
        { System.out.println(e);
        }
    }
}
```

web.xml

```
<?xml version="1.0"?>
<web-app>
  <servlet>
    <servlet-name>s1</servlet-name>
    <servlet-class>FirstServlet</servlet-class>
  </servlet>
  <servlet-mapping>
    <servlet-name>s1</servlet-name>
    <url-pattern>/servlet1</url-pattern>
  </servlet-mapping>
  <servlet>
    <servlet-name>s2</servlet-name>
    <servlet-class>SecondServlet</servlet-class>
  </servlet>
  <servlet-mapping>
    <servlet-name>s2</servlet-name>
    <url-pattern>/servlet2</url-pattern>
  </servlet-mapping>
</web-app>
```

OUTPUT:





WEEK 7: JAVA SERVER PAGES:

- A. Write a program to represent basic arithmetic functions.
- B. Write a program to display a string.
- C. Write a program to create check boxes.

WEEK 7:**A. Write a program to represent basic arithmetic functions.**

Filename: input.html

```
<html>
<title>Sample Example </title>
<body>
  <form method="get" action="index.jsp">
    <fieldset style="width:30%; background-color:#b3d1ff">
      <h2><center> Mathematical Operation</center></h2>
      <hr>
      <font size=5 face="Times New Roman">
        <input type="radio" name="a1" value="add" checked>Addition</input><br>
        <input type="radio" name="a1" value="sub">Subtraction</input><br>
        <input type="radio" name="a1" value="mul" >Multiplication</input><br>
        <input type="radio" name="a1" value="div" >Division</input><br>
      </font>
      <table>
        <tr>
          <td>Enter first Value:</td>
          <td> <input type="text" name="t1" value=""></td>
        </tr>
        <tr>
          <td>Enter second Value: </td>
          <td><input type="text" name="t2" value=""></td>
```



```
</tr><br>
<tr>
    <td></td>
    <td><input type="submit" name="result" value="Check result!"></td>
</tr>
</table>
</fieldset>
</form>
</body>
</html>
```

```
<%@ page errorPage="error.jsp" %>
<html>
<body>
    <H1><center>Result for <%=request.getParameter("a1")%></center></H1>
    <%
        String num1=request.getParameter("t1");
        String num2=request.getParameter("t2");

        int i=Integer.parseInt(num1);
        int j=Integer.parseInt(num2);

        int k=0;
        String str=request.getParameter("a1");
        if(str.equals("add"))
            k=i+j;
        if(str.equals("sub"))
            k=i-j;
        if(str.equals("mul"))
            k=i*j;
        if(str.equals("div"))
            k=i/j;
    %>
    Result is: <%=k%>
</body>
</html>
```

Filename:error.jsp

```
<%@ page isErrorPage="true" %>
```

```
<h3>Sorry an exception occurred! </h3>Exception is: <%= exception %>
```

Web.xml

```
<?xml version="1.0"?>

<web-app>
  <servlet>

    <servlet-name>s1</servlet-name>

    <servlet-class>FirstServlet</servlet-class>

  </servlet>

  <servlet-mapping>

    <servlet-name>s1</servlet-name>

    <url-pattern>/servlet1</url-pattern>

  </servlet-mapping>

  <servlet>

    <servlet-name>s2</servlet-name>

    <servlet-class>SecondServlet</servlet-class>

  </servlet>

  <servlet-mapping>

    <servlet-name>s2</servlet-name>

    <url-pattern>/servlet2</url-pattern>

  </servlet-mapping>

</web-app>
```

OUTPUT:

WEEK 7:**B. Write a program to display a string.****Filename: index1.html**

```
<html>
  <body bgcolor="gray">
    <form action="display1.jsp">
      <center>
        <h1> welcome </h1><br><br>
        USERNAME<input type="text" name="uname">
        <br><br>
        <input type="submit" value="go"><br/>
      </center>
    </form>
  </body>
</html>
```

display1.jsp

```
<html>
  <body bgcolor="pink">
    <form>
      <center>
        <%String name=request.getParameter("uname");
        out.print("welcome "+name);
        %>
      </center>
    </form>
  </body>
</html>
```

OUTPUT:

WEEK 7:**c. Write a program to create check boxes.**

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1">
    <script type="text/javascript">

      function demo()
      {
        for(var i=0; i< document.form1.subject.length; i++)
        {
          if(!document.f.subject[i].checked)
          {
            alert("Please Select Your
            options");return false;
          }
        }
        else
        {
          alert("Click Submit to Know your choices");

          return true;
        }
      }
    }
  </script>
  <title>Sample</title>
</head>
<body>
  <form name="f" onsubmit="demo()">
    <h3>Please Select your Choices</h3>
```

```

<p><input type="checkbox" name="subject" value="first"/>first</p>
<p><input type="checkbox" name="subject" value="second"/>second</p>
<p><input type="checkbox" name="subject" value="third"/>third</p>
<p><input type="checkbox" name="subject" value="fourth"/>fourth</p>
<p><input type="checkbox" name="subject" value="fifth"/>fifth</p>
<p><input type="submit" value="submit" />
</form>
<%
String subject[]= request.getParameterValues("subject");if(subject != null)
    {
%>
<h4>You selected options </h4>
<ul>
<%
    for(int i=0; i<subject.length; i++)
    {
%>
<li><%=subject[i]%></li>
<%=}%>
</ul>
<%=}%>
</body>
</html>

```

Filename: Test.html

```

<html>
<body bgcolor="pink">
    <form action = "check.jsp" method = "POST" >
<center>
    <input type = "checkbox" name = "maths" /> Maths
    <br>
    <input type = "checkbox" name = "physics" /> Physics
    <br>
    <input type = "checkbox" name = "chemistry" /> Chemistry

```

```
<br>  
    <input type = "submit" value = "Select Subject" />  
</center>  
    </form>  
    </body>  
</html>
```

OUTPUT: